



Product Catalog 2015

ANKEM



**PERFORMANCE
PLUS**



Item Number:
FI-2 SL | 2 gallon pump-up foam unit

Compact unit with manual pump
Maximum portability for small jobs and spot cleaning
Viton seals for chemical compatibility
Natural color tank for easy visibility of product levels



Item Number:
FI-WALL | Pre-mix wall mount foam unit

Draws from pre-mixed solution
Quick-change pump
Stainless steel ball valve and wand
Stainless steel fluid fittings



Item Number:
FI-WALL-APA | Pre-mix wall mount foam unit

Draws from pre-mix solution
50 ft. of 3/4 in. discharge hose
Acid proof poly fluid fittings



Item Number:
FI-WC-11AP | Wall mounted high concentration foam unit with all-poly fittings

Draws and dilutes product at ratios of 1:1 to 16:1
Regulates incoming water pressure to ensure consistent foam quality
Quick-change pump
32 inch polypropylene wand for extended foam throw
All-poly fluid fittings



Item Number:
FI-WC-11AP2 | Wall mounted high concentration foam unit with all-poly fittings

Draws and dilutes product at ratios of 1:1 to 16:1
Regulates incoming water pressure to ensure consistent foam quality
Quick-change pump



Item Number:
JS1 | Air operated acid and neutralizer foam unit
JS1-V | Air operated acid and neutralizer foam unit with viton pump


50 ft. of foam hose
30 gallons of foam per minute
Foam adjusts with simple knob
Up to 25 ft. of foam distance
One unit for acid and neutralizer

Product Catalog 2015

ANKEM



**PERFORMANCE
PLUS**



Ankem Inc.

Phone: 800-527-7615

www.ankem.com